



<p><b>Appeal</b></p>	<p>BOIS inspector _____ Date of decision _____</p> <p>Check which of the following form the basis for your appeal:</p> <p>The true intent of the Propane and Liquefied Petroleum</p> <p><input type="checkbox"/> Gas Act (PLPGA) was incorrectly interpreted.</p> <p><input type="checkbox"/> The provisions of the PLPGA do not apply.</p> <p><input type="checkbox"/> Other: Please explain.</p> <p>Detail the grounds for appealing this decision, citing provisions of the PLPGA, or explaining how your variance would be equivalent to that specified in the PLPGA.</p>
<p><b>Filing Requirements</b></p>	<p>Submission requirements shall be as follows:</p> <ol style="list-style-type: none"> <li>1. One copy of the completed <b>Liquefied Petroleum Gas Industrial Board Petition (LIIB-122)</b>. <ul style="list-style-type: none"> <li>• A separate request must be submitted for <b>each installation</b> that requires a variance.</li> </ul> </li> <li>2. One copy of the completed Liquefied Petroleum Gas Application for Registration and Plan Approval (LIBI-801).</li> <li>3. Three sets of plans on paper not less than 18" x 24" for any of the following: <ul style="list-style-type: none"> <li>• Tanks over 2,000-gallon individual water capacity.</li> <li>• Fixed location with aggregate capacity exceeding 4,000 gallons.</li> <li>• Exchange cabinets.</li> <li>• Dispensing stations to fill cylinders/fuel vehicles.</li> </ul> </li> <li>4. Plans must include the following information: <ol style="list-style-type: none"> <li>1. Location of all tanks.</li> <li>2. Size of all tanks including ASME data reports for tanks.</li> <li>3. Distances from all buildings/property lines.</li> <li>4. Fencing (fence around tanks) when required.</li> <li>5. Traffic flow patterns.</li> <li>6. Fire protection provided.</li> <li>7. Vehicle protection (bollards, jersey barriers, etc.).</li> </ol> </li> <li>5. Fire Safety Analysis if required by Section 6.25 of NFPA-58 (2008).</li> <li>6. A Manufacturer's Data Report (U1-A) for all ASME Tanks or a PA Special/PA Standard #.</li> <li>7. <b>Two separate checks or money orders</b> made payable to the "<b>Commonwealth of Pennsylvania</b>" <ul style="list-style-type: none"> <li>• One for the variance appeal or extension of time in the amount of \$388.81 per location.</li> <li>• One for the plan approval and registration.</li> </ul> </li> </ol> <p><b>Fee Schedule:</b></p> <p>Variations/Appeals/Extension of Time Requests..... \$388.81 (<b>per location</b>)</p> <p>Expedited Review of petition..... Additional \$1211.25 (<b>per location</b>)</p> <p>Plan Approval/Registration..... Refer to the LPG fee schedule.</p> <p>Contact the Industrial Board at 717-787-6114 or <a href="mailto:RA-LIINDUSTRIALBOARD@pa.gov">RA-LIINDUSTRIALBOARD@pa.gov</a> for questions or concerns.</p> <p>Mail the complete submission package to:</p> <p style="text-align: center;"><b>Department of Labor &amp; Industry Industrial Board 651 Boas Street, Room 1622 Harrisburg, PA 17121-0750</b></p>
<p><b>Petitioner Signature</b></p>	<p>_____</p> <p style="text-align: center;">Petitioner signature</p> <p style="text-align: right;">_____</p> <p style="text-align: right;">Telephone number</p>

Auxiliary aids and services are available upon request to individuals with disabilities.  
Equal Opportunity Employer/Program